

# How to get control over email?

Patrik Fältström

Internet Architecture Board

[paf@cisco.com](mailto:paf@cisco.com)

# Given a hammer, where are the nails?

- ◆ My view is that people attack the spam problem from the wrong angle

- ◆ Look for a solution

- ◆ Fine-tune it

- ◆ Look for a problem the solution solves





# Alternative method

- ◆ Look at the problem
- ◆ Agree on what the problem is
- ◆ Find a solution to the problem


# How is SMTP used?

- ◆ In many ways...
- ◆ Between many different entities...
- ◆ Spam, worms, trojans etc are injected in a “proper” mail flow...
- ◆ How, when where?

A3 (receiving domain after forwarding or mailing list explosion)




A1 (sender domain)



A4

A5 (roaming domain)



A2 (receiving domain)

A1 (sender domain)

s1




2

MTA(s1)



6

MTA(s2)



11



1

MTA

Port 25/587


3



4

MTA(i1)

24




A4

9

A5 (roaming domain)

s2

5




MTA(u1)

8



10



A2 (re

# Technical solution?

- ◆ We can only do a limited number of things to “email” as we know it today
- ◆ One thing is “authentication of sender”
  - 📌 The IETF is looking into this now
  - 📌 It can minimize the number of false sender addresses
- ◆ Alternative is a new protocol

# Two kind of proposals

- ◆ Signing mail (authenticate sender)
- ◆ “Reverse MX” and other (DNS) based

# Followup issues

- ◆ Proposals will “just” make it possible to know who the mail comes from
- ◆ Proposals work on envelope sender, but many people working with anti-spam don't know the difference, or want to secure header-from...
  - ◆ (which I see as a much harder problem due to mailing lists etc)

# I think...

...we need:

- 📌 Technical methods to track violators
- 📌 Legislation
- 📌 Police (etc) which do the tracking

IETF (etc) only work with the 1st of these

Patrik Fältström

[paf@cisco.com](mailto:paf@cisco.com)

